

70" outdoor LCD GS7000L

i-Tech's All-Weather/Outdoor Full Sun environment Sunlight Readable LCD monitors allow you to view the display under the full sunlight. These affordable solutions are ready to deploy to any indoor and outdoor digital signage application for retail stores, restaurants, gas stations and many more....

We produce the largest and brightest Sunlight Readable LCD Monitor in sizes from 32" to 70".



Features Highlight:

- High-Brightness LCD Panel
- All Weather Proof IP65 Enclosures
- Operating Temperature -40C To 50C*
- Integrated heater and air conditioner
- Vandal Resistant Screen & housing
- Unique Front Access Design
- Remote Reboot/Temp.& Humidity Monitoring available (Optional)
- Wireless and VGA/DVI CAT5 signal extenders available (Optional)

Technical specifications

Active area size (W x H)	70" (1549.44 x 871.56 mm)
Pixel pitch (mm)	0.807(H) x 0.807(V)
Panel resolution (pixels)	1920 x 1080
Luminance of white (Brightness)	2000 nits (Typ)
Contrast ratio	2500:1
Response time (gtg)	8 ms (Typ)
Colour Range	16.7 Million colours (max)
Viewing angle	89/89/89/89
Video inputs	VGA; DVI; S-Video
Auto Brightness Control	Yes (Optional)
Front glass type	Strengthen 6mm AR glass
IP Class	IP65
Operating temperature range	-40 to + 95F (Direct Sunlight) /110F (Under Shaded Area)
Storage Temperature	0 to 50C
CCFL Life Time	60K hrs (min)
Input voltage	110V
Weight	550lbs
External dimensions (W x H x D)	1830W x 1152H x 300D mm Notes: to guarantee a proper functionality, 10cm of clearance must be kept around the display
Portrait version	Please contact I-Tech for details
Available Accessories	IR Remote Control and VGA cable (included) and Ethernet Cable (not included)
Options	Custom Embedded PCs (please call for enquiries)
Customization	Please contact I-Tech for available options

SUNTRONIC
Outdoor LCD Signage

