

# 82" Outdoor LCD GS8200L



SuntronicLCD's All-Weather/outdoor Full Sun environment Sunlight Readable LCD monitors allow you to view the display under the full sunlight. These affordable solutions are ready to deploy to any indoor and outdoor digital signage application for retail stores, restaurants, gas stations and many more...

We produce the largest and brightest Sunlight Readable LCD Monitor in sizes from 32" to 82"

## Features Highlight:

- High-Brightness LCD Panel
- All Weather Proof IP65 Enclosures
- Operating Temperature -40C To 50C\*
- Integrated heater and air conditioner
- Vandal Resistant Screen & housing
- Unique Front Access Design
- Remote Reboot/Temp.& Humidity Monitoring available (Optional)
- Wireless and VGA/DVI CAT5 signal extenders available (Optional)

## Specifications:

Display size (Diagonal)	81.5683 inch
Brightness	1500nits (Typ)
Active area	1015.74 (H) x 1805.76 (V)
Pixel Format	1080 (H) x 1920 (V) (1pixel = R + G + B dot)
Pixel pitch	0.9405(H) x 0.9405 (V)
Viewing angle	89/89/89/89
Pixel configuration	R, G, B horizontal stripe
Display mode	Normally black
Unit Outline Dimensions	1094 (W) x 1879 (H) x 81.9 (D)
Mass	64.5±1.0
Surface treatment	Anti glare, low reflection coating Hard coating: 2H
IP Class	IP65/NEMA4
Video inputs	VGA, S-Video
Input voltage	110V
Operating temperature range	-40 to + 95F (Direct Sunlight) /110F (Under Shaded Area)
Front glass type	AR Safety 6mm glass (Landscape mode)
Unit overall Dimensions	2104mm(W) x 1441.5mm(H)x 406.5mm(D)
Portrait version	Please contact SuntronicLCD for details

The information in this document is subject to change without notice

